

A Gradient BYY Harmony Learning Algorithm for Straight Line Detection

Gang Chen, Lei Li, and Jinwen Ma*

Department of Information Science, School of Mathematical Sciences and LAMA, Peking University, Beijing, 100871, China
jwma@math.pku.edu.cn

Abstract. Straight line detection is a basic problem in image processing and has been extensively studied from different aspects, but most of the existing algorithms need to know the number of straight lines in an image in advance. However, the Bayesian Ying-Yang (BYY) harmony learning can make model selection automatically during parameter learning for the Gaussian mixture modeling, which can be further applied to detecting the correct number of straight lines automatically by representing the straight lines with Gaussians or Gaussian functions. In this paper, a gradient BYY harmony learning algorithm is proposed to detect the straight lines automatically from an image as long as the pre-assumed number of straight lines is larger than the true one. It is demonstrated by the simulation and real image experiments that this gradient BYY harmony learning algorithm can not only determine the number of straight lines automatically, but also detect the straight lines accurately against noise.

Keywords: Bayesian Ying-Yang (BYY) harmony learning, Gradient algorithm, Automated model selection, Straight line detection.

1 Introduction

Straight line detection, as a basic class of curve detection, is very important for image processing, pattern recognition and computer vision. For tackling this problem, many kinds of learning algorithms have been developed from different aspects. Actually, the Hough transform (HT) and its variations (see Refs. [1,2] for reviews) might be the most classical approach. However, this kind of learning algorithms usually suffer from heavy computational cost, huge storage requirement and detection of false positives, even if the Random Hough Transform (RHT) [3] and the constrained Hough Transform [4] have been proposed to overcome these weaknesses. Later on, there appeared many other algorithms for straight line or curve detection (e.g., [5,6]), but most of these algorithms need to know the number of straight lines or curves in the image in advance.

Recently, the Bayesian Ying-Yang (BYY) harmony learning system and theory [7]-[8] have developed a new mechanism of automated model selection on Gaussian mixture, being implemented by a series of BYY harmony learning algorithms [9]-[13]. Essentially, they have been established for the Gaussian mixture

* Corresponding author.

modeling with a favorite feature that model selection can be made automatically during parameter learning. That is, they can learn the correct number of actual Gaussians in a sample data set automatically. From the data space of a binary image, all the black pixels or points are regarded as the samples or sample points generated from the image and the distance from a sample point to the straight line it is along with, is subject to some Gaussian distribution or function, since there always exists some noise. Thus, the straight lines can be represented through some Gaussians and their detection in a binary image is equivalent to the Gaussian mixture modeling of both automated model selection and parameter learning, which can be certainly solved by this kind of BYY harmony learning on Gaussian mixture. On the other hand, according to the BYY harmony learning on the mixture of experts, a gradient learning algorithm was already proposed in [14] for the straight line or ellipse detection, but it was not applicable for the general case.

In this paper, with straight lines being implicitly represented by the Gaussians of the distances from samples to them, authors propose a new gradient BYY harmony learning algorithm for straight line detection based on the gradient BYY harmony learning rule established in [9]. It is demonstrated well by the experiments that this gradient BYY harmony learning algorithm approach can efficiently determine the number of straight lines and locate these straight lines accurately in an image.

In the sequel, authors introduce the BYY learning system and the harmony function and propose the gradient BYY harmony learning for straight line detection in Section 2. In Section 3, several experiments on both the simulation and real-world images are conducted to demonstrate the efficiency of our proposed algorithm. Finally, authors will conclude briefly in Section 4.

2 The Gradient Learning Algorithm for Straight Line Detection

2.1 BYY Learning System and the Harmony Function

A BYY system describes each observation $x \in \mathcal{X} \subset \mathbb{R}^n$ and its corresponding inner representation $y \in \mathcal{Y} \subset \mathbb{R}^m$ via the two types of Bayesian decomposition of the joint density: $p(x, y) = p(x)p(y|x)$ and $q(x, y) = q(y)q(x|y)$, which are called Yang machine and Ying machine, respectively. Given a data set $D_x = \{x_t\}_{t=1}^N$ from the Yang or observable space, the goal of harmony learning on a BYY learning system is to extract the hidden probabilistic structure of x with the help of y from specifying all aspects of $p(y|x)$, $p(x)$, $q(x|y)$ and $q(y)$ via a harmony learning principle implemented by maximizing the functional

$$H(p||q) = \int p(y|x)p(x)\ln[q(x|y)q(y)]dx dy, \quad (1)$$

which is essentially equivalent to minimizing the Kullback-Leibler divergence between the Yang and Ying machines, i.e., $p(x, y)$ and $q(x, y)$, because

$$KL(p||q) = \int p(y|x)p(x) \ln \frac{p(y|x)p(x)}{q(x|y)q(y)} dx dy = -H(p||q) - H(p),$$

where $H(p)$ is the entropy of $p(x, y)$ and invariant to $q(x, y)$.

If both $p(y|x)$ and $q(x|y)$ are parametric, i.e. from a family of probability densities with parameter θ , the BYY learning system is said to have a BI-directional Architecture (BI-Architecture for short). For the Gaussian mixture model with a given sample set $D_x = \{x_t\}_{t=1}^N$, we can utilize the following specific BI-architecture of the BYY learning system. The inner representation y is discrete in $\mathcal{Y} = \{1, 2, \dots, k\}$ (i.e., with $m = 1$), and the observation x comes from a Gaussian mixture distribution. On the Ying space, we let $q(y = j) = \alpha_j \geq 0$ with $\sum_{j=1}^k \alpha_j = 1$. On the Yang space, we suppose that $p(x)$ is a blind Gaussian mixture distribution, with a set of sample data D_x being generated from it. Moreover, in the Ying path, we let each $q(x|y = j) = q(x|\theta_j)$ be a Gaussian probability density function (pdf) given by

$$q(x|\theta_j) = q(x|m_j, \Sigma_j) = \frac{1}{(2\pi)^{\frac{m}{2}} |\Sigma_j|^{\frac{1}{2}}} e^{-\frac{1}{2}(x-m_j)^T \Sigma_j^{-1}(x-m_j)}, \tag{2}$$

where m_j is the mean vector and Σ_j is the covariance matrix which are assumed positive definite. On the other hand, the Yang path is constructed under the Bayesian principle by the following parametric form:

$$p(y = j|x) = \frac{\alpha_j q(x|\theta_j)}{q(x|\Theta_k)}, \quad q(x|\Theta_k) = \sum_{j=1}^k \alpha_j q(x|\theta_j), \tag{3}$$

where $\Theta_k = \{\alpha_j, \theta_j\}_{j=1}^k$ and $q(x|\Theta_k)$ is just a Gaussian mixture that will approximate the true Gaussian mixture $p(x)$ hidden in the sample data D_x via the harmony learning on the BYY learning system.

With all these component densities into Eq.(1), we have

$$H(p||q) = E_{p(x)} \left[\sum_{j=1}^k \frac{\alpha_j q(X|\theta_j)}{\sum_{i=1}^k \alpha_i q(X|\theta_i)} \ln[\alpha_j q(X|\theta_j)] \right], \tag{4}$$

that is, it becomes the expectation of a random variable $\sum_{j=1}^k \frac{\alpha_j q(X|\theta_j)}{\sum_{i=1}^k \alpha_i q(X|\theta_i)} \ln[\alpha_j q(X|\theta_j)]$ where X is just the random variable (or vector) subject to $p(x)$. Based on the given sample data set D_x , we get an estimate of $H(p||q)$ as the following harmony function for Gaussian mixture with the parameter set Θ_k :

$$J(\Theta_k) = \frac{1}{N} \sum_{t=1}^N \sum_{j=1}^k \frac{\alpha_j q(x_t|\theta_j)}{\sum_{i=1}^k \alpha_i q(x_t|\theta_i)} \ln[\alpha_j q(x_t|\theta_j)]. \tag{5}$$

2.2 The Gradient Learning Rule for Straight Line Detection

In order to maximize the above harmony function $J(\Theta_k)$, Ma, Wang and Xu proposed a general (batch-way) gradient learning rule [9] for Gaussian mixture.

Although some new learning algorithms (e.g., [10]-[13]) have been already proposed to improve it, we still use it in this paper for its convenience of the generalization to the case of straight line detection. Actually, in the Gaussian mixture model, if we set

$$\alpha_j = e^{\beta_j} / \sum_{i=1}^k e^{\beta_i},$$

and substitute it into the harmony function given in Eq.(5), by the derivatives of $J(\Theta_k)$ respect to all the parameters, we can easily construct the general gradient learning rule proposed in [9].

For straight line detection, we can use the following Gaussian functions to implicitly represent the straight lines in the image:

$$q(u|l) = q(x, y|l) = \exp\left\{-\frac{(w_l^T(x, y)^T - b_l)^2}{2\tau_l^2 w_l^T w_l}\right\}, \tag{6}$$

where $u = (x, y)$ denotes the pair of two coordinates of a pixel point in the binary image. The sample data set $\{u_t = (x_t, y_t)\}_{t=1}^N$ consists of all the black pixel points in the binary image. In each Gaussian function, there are two parameters w_l^T and b_l , from which we can get the equation of the straight line it represents: $w_l^T x = b_l$. Suppose that there are k straight lines in the image or k Gaussian functions in our mixture model. Then, we can replace all these components in the general gradient learning rule [9] with these $q(u|l)$ and obtain the following new gradient learning rule for straight line detection::

$$\Delta w_l = \eta \frac{\alpha_l}{N} \sum_{t=1}^N h(l|u_t) U(l|u_t) \frac{-(w_l^T u_t - b_l)^2 w_l - (w_l^T u_t - b_l) w_l^T w_l u_t}{e^{r_l} (w_l^T w_l)^2}, \tag{7}$$

$$\Delta b_l = \eta \frac{\alpha_l}{N} \sum_{t=1}^N h(l|u_t) U(l|u_t) \frac{w_l^T u_t - b_l}{e^{2r_l} (w_l^T w_l)}, \tag{8}$$

$$\Delta r_l = \eta \frac{\alpha_l}{N} \sum_{t=1}^N h(l|u_t) U(l|u_t) \frac{-(w_l^T u_t - b_l)^2}{e^{2r_l} (w_l^T w_l)}, \tag{9}$$


$$\Delta \beta_l = \eta \frac{\alpha_l}{N} \sum_{t=1}^N \sum_{j=1}^k h(j|u_t) U(j|u_t) (\delta_{jl} - \alpha_j), \tag{10}$$

where


$$U(l|u_t) = 1 + \sum_{r=1}^k (\delta_{rl} - P(r|u_t)) \ln(\alpha_r q(u_t|r)), \tag{11}$$

$$h(l|u_t) = q(u_t|l) / \sum_{r=1}^k \alpha_r q(u_t|r), P(r|u_t) = \alpha_r h(r|x_t). \tag{12}$$


where $\eta > 0$ is the learning rate, which will be selected from 0.01 to 0.1 in our experiments in the next section.



(a) The First Image Data Set S_1 with $k^* = 2$




(b) The Second Image Data Set S_2 with $k^* = 3$




(c) The Third Image Data Set S_3 with $k^* = 4$


Fig. 1. The Experimental Results of the Gradient BYY Harmony Learning Algorithm on Three Binary Image Data Sets at $k = 6$



(a) The Fourth Image Data Set S_4 with $k^* = 2$



(b) The Fifth Image Data Set S_5 with $k^* = 3$



(c) The Sixth Image Data Set S_6 with $k^* = 4$

Fig. 2. The Experimental Results of the Gradient BYY Harmony Learning Algorithm on the Three Binary Image Data Sets with Salt Noise at $k = 6$




Fig. 3. The Experimental Results of Texture Analysis via the Gradient BYY Harmony Learning Algorithm

In this way, we regard each straight line as one Gaussian function in the mixture model and implement the gradient learning algorithm with the above rule to determine the number of actual straight lines in the image through the competitive learning on the mixing proportions and locate them through their equations. After the gradient learning algorithm has converged, we can get all the parameters $\Theta_k = \{(\alpha_l, w_l, b_l)_{l=1}^k\}$ and discard the components with a very low mixing proportion. Then, we pick up each pair of w_l and b_l in the remaining mixture to construct a straight line equation $L_l : w_l^T u = b_l$, with the mixing proportion α_l representing the proportion of the number of pixel points along this straight line L_l over N . Hence, all the actual straight lines in the image are detected by the gradient learning algorithm.

3 Experiment Results

In this section, several simulation experiments are carried out to demonstrate the gradient BYY harmony learning algorithm for straight line detection on both

the determination of number of straight lines and the location of these straight lines. Moreover, the gradient BYY harmony learning algorithm is also applied to texture classification.

Using k^* to denote the true number of straight lines in the binary image, we implement the gradient BYY harmony algorithm on each set of binary image data with $k > k^*$, $\eta = 0.01$ and $\varepsilon = 0.05$. Moreover, the other parameters are initialized randomly within certain intervals. In all the experiments, the learning was stopped when $|J(\Theta_k^{new}) - J(\Theta_k^{old})| < 10^{-6}$.

We implement the gradient BYY harmony learning algorithm on the three sets of binary image data, which are shown in Fig.1(a),(b),(c), respectively. Actually, it can detect the actual straight lines in each binary image automatically and accurately. As shown in Fig.1(c), the algorithm is implemented on the third set S_3 of binary image data of four straight lines with $k = 6$. After the algorithm has converged, the mixing proportions of the two extra Gaussian functions or straight lines have been reduced to a very small number below 0.05 so that they can be discarded, while the other four lines are located accurately. Thus, the correct number of the straight lines in the image are detected automatically on this image data set. Moreover, a similar result of of the gradient BYY harmony learning has been made on the second image data set S_2 with $k = 6, k^* = 3$. As shown in Fig.1(b), there is only a small number of pixel points along each straight line, the algorithm can still detect the three actual straight lines accurately, with the mixing proportions of other three extra lines being reduced below 0.05 again.

In addition to the correct number detection, we further test the performance of the algorithm on the set of image data with salt noise, which is shown in Fig.2. It can be observed from Fig.2 that the algorithm can still detect the straight lines from the image with many extra noisy points.

Finally, we apply the gradient BYY harmony learning algorithm to texture classification. In fact, texture classification is also a fundamental problem in computer vision with a wide variety of applications. Sometimes, we may encounter some image with strip texture, which is shown Fig.3(a). The problem is how to characterize it and distinguish it from other kinds of texture. In order to solve this problem, we can use the gradient BYY harmony learning algorithm to design the following texture classification scheme:

Step 1: Split a texture image into some small image windows.

Step 2: Implement the gradient BYY harmony learning algorithm to detect the straight lines in each small window.

Step 3: If the average number of the parallel straight lines detected in one window is around some number corresponding to a sort of strip texture (from sparse to dense), we can consider that this texture is this sort of strip texture.

In our experiment on the texture classification, we can find that there are usually three parallel straight lines in a window (as an example shown in Fig. 3(d)). Thus, we can say that this image contains the strip texture of the three strip lines in a window. Therefore, this scheme is useful to the strip texture classification.

4 Conclusions

We have proposed a new gradient BYY harmony learning algorithm for straight line detection. It is derived from the maximization of the harmony function on the mixture of Gaussian functions with the help of the general gradient BYY harmony learning rule. Several simulation experiments have demonstrated that the correct number of straight lines can be automatically detected on a binary image. Moreover, the gradient BYY harmony learning algorithm is successfully applied to the texture classification.

Acknowledgments. This work was supported by the Natural Science Foundation of China for grant 60771061.

References

1. Ballard, D.: Generalizing the Hough Transform to Detect Arbitrary Shapes. *Pattern Recognition* 13(2), 111–122 (1981)
2. Illingworth, J., Kittler, J.: A Survey of the Hough Transform. *Computer Vision, Graphics, and Image Processing* 44, 87–116 (1988)
3. Xu, L., Oja, E., Kultanen, P.: A New Curve Detection Method: Randomized Hough Transform (RHT). *Pattern Recognition Letter* 11, 331–338 (1990)
4. Olson, C.F.: Constrained Hough Transform for Curve Detection. *Computer Vision and Image Understanding* 73(3), 329–345 (1999)
5. Olson, C.F.: Locating Geometric Primitives by Pruning The Parameter Space. *Pattern Recognition* 34(6), 1247–1256 (2001)
6. Liu, Z.Y., Qiong, H., Xu, L.: Multisets Mixture Learning-Based Ellipse Detection. *Pattern Recognition* 39, 731–735 (2006)
7. Xu, L.: Best Harmony, Unified RPCL and Automated Model Selection for Unsupervised and Supervised Learning on Gaussian Mixtures, Three-Layer Nets and ME-RBF-SVM Models. *International Journal of Neural Systems* 11(1), 43–69 (2001)
8. Xu, L.: BYY Harmony Learning, Structural RPCL, and Topological Self-Organizing on Mixture Modes. *Neural Networks* 15, 1231–1237 (2002)
9. Ma, J., Wang, T., Xu, L.: A Gradient BYY Harmony Learning Rule on Gaussian Mixture with Automated Model Selection. *Neurocomputing* 56, 481–487 (2004)
10. Ma, J., Gao, B., Wang, Y., Cheng, Q.: Conjugate and Natural Gradient Rules for BYY Harmony Learning on Gaussian Mixture with Automated Model Selection. *International Journal of Pattern Recognition and Artificial Intelligence* 19, 701–713 (2005)
11. Ma, J., Wang, L.: BYY Harmony Learning on Finite Mixture: Adaptive Gradient Implementation and A Floating RPCL Mechanism. *Neural Processing Letters* 24(1), 19–40 (2006)
12. Ma, J., Liu, J.: The BYY Annealing Learning Algorithm for Gaussian Mixture with Automated Model Selection. *Pattern Recognition* 40, 2029–2037 (2007)
13. Ma, J., He, X.: A Fast Fixed-Point BYY Harmony Learning Algorithm on Gaussian Mixture with Automated Model Selection. *Pattern Recognition Letters* 29(6), 701–711 (2008)
14. Lu, Z., Cheng, Q., Ma, J.: A gradient BYY Harmony Learning Algorithm on Mixture of Experts for Curve Detection. In: Gallagher, M., Hogan, J.P., Maire, F. (eds.) *IDEAL 2005*. LNCS, vol. 3578, pp. 250–257. Springer, Heidelberg (2005)